

The Metropolitan Government of Nashville and Davidson County....

Board of Gas/Mechanical Examiners and Appeals Agenda

Meeting Date:

Tuesday - April 18, 2017

Place:

Metro Office Building

Davidson Room - 800 2nd Avenue, South - Second Floor

Time: 1:30 P.M.

BOARD MEMBERS	TERM EXPIRES	ATTENDANCE	OTHERS PRESENT
Michael Porter, Chairman Jeff Zimmerle, Vice Chairman Milton Henderson Harold Ferguson Lynn Taylor Mark T. Bandy Vacant Position	January 20, 2018 August 21, 2018 August 21, 2019 August 21, 2016 August 21, 2016 August 21, 2018		

AGENDA TOPICS

- I. Approval of Last Month's Minutes and Call Meeting To Order
- II. Appeal Cases
- III. Appearing Before The Board
- IV. Other Business
- V. Consent Agenda
- VI. Adjournment

APPPEAL OF DECISIONS FROM THE BOARD OF GAS/MECHANICAL EXAMINERS AND APPEALS

Pursuant to the provisions of § 2.68.030 of the Metropolitan Code of Laws, please take notice that decisions of the Metropolitan Board of Gas/Mechanical Examiners and Appeals may be appealed to the Chancery Court or Circuit Court of Davidson County for review under a common law writ of certiorari. Any appeal must be filed within sixty (60) days after entry of a final decision by the Board. Any person or other entity considering an appeal should consult with an attorney to ensure that time and procedural requirements are met.

I. APPROVAL OF MINUTES AND CALL THE MEETING TO ORDER: Approval of the March 21, 2017 Minutes	Motion: First: Second:
Changes:	Opposed:
Approval By: Signature of Chairman:	

II. APPEAL CASES					
Appeal Case No. 20170016773					
Site Address: 1800 West End Avenue Map/Parcel Number: 09212047700 Appellant: James H. Brooks OWNER: Concord Hospitality, Inc.	e Represented by: James H. Brooks				
<u>Code Provision:</u> IMC 501.3.1 Location of exhaust outlets. The termination point of exhaust outlets and ducts discharging to the outdoors shall be located with the following minimum distances: 2. For other product-conveying outlets: 10 feet from the property lines; 3 feet from exterior walls and roofs; 10 feet from operable openings into buildings; 10 feet above adjoining grade.					
<u>Variance Requested</u> : Applicant appeals location and mounting height of grease duct discharge.					
NOTES: This is Build out of new A-2 Restaurant to be as Bamboo Inchins Garden, under construction per per 2016054883.	-	Motion: First: Second:	Opposed or Abstained:		
			1		
III. APPEARING BEFORE THE BOARD					
No Business					
IV. OTHER BUSINESS					
No Business					
V. CONSENT AGENDA					
No Business					
VI. MOTION FOR ADJOURNMENT:	Motion: First: Second:		Opposed or Abstained:		