

The Metropolitan Government of Nashville and Davidson County....

Board of Gas/Mechanical Examiners and Appeals Agenda

Meeting Date:

Tuesday - August 21, 2018

Place:

Metro Office Building

Davidson Room - 800 2nd Avenue, South - Second Floor

Time: 1:30 P.M.

BOARD MEMBERS	TERM EXPIRES	ATTENDANCE	OTHERS PRESENT
Michael Porter, Chairman Jeff Zimmerle, Vice Chairman Milton Henderson Harold Ferguson Lynn Taylor Mark T. Bandy Fil Harris	January 29, 2022 August 21, 2022 August 21, 2019 August 21, 2020 August 21, 2020 August 21, 2022 June 20, 2021		

AGENDA TOPICS

- Approval of Last Month's Minutes and Call Meeting To Order Ι.
- **Appeal Cases** II.
- Appearing Before The Board III.
- Other Business IV.
- Consent Agenda ٧.
- VI. Adjournment

APPPEAL OF DECISIONS FROM THE BOARD OF GAS/MECHANICAL EXAMINERS AND APPEALS

Pursuant to the provisions of § 2.68.030 of the Metropolitan Code of Laws, please take notice that decisions of the Metropolitan Board of Gas/Mechanical Examiners and Appeals may be appealed to the Chancery Court or Circuit Court of Davidson County for review under a common law writ of certiorari. Any appeal must be filed within sixty (60) days after entry of a final decision by the Board. Any person or other entity considering an appeal should consult with an attorney to ensure that time and procedural requirements are met.

I. APPROVAL OF MINUTES AND CALL THE MEETING TO ORDER: Approval of the April 18, 2018 Minutes	Motion: First: Second:
Changes:	Opposed:
Approval By: Signature of Chairman:	

	Page 2
II. APPEAL CASES	
Appeal Case No. 20180046654	
Site Address: 151 1 st Avenue, South Map/Parcel Number: 09306408400 Appellant: Tyler Baumgardt OWNER: Jacob May	Represented by: Tyler Baumgardt
Code Provision: The IMC Section 607.5.5 Shaft enclosures. Shand air transfer openings shall be protected by with approved f listing. Exception 2. In Group B and R occupancies equipped the accordance with Section 903.3.1.1 of the International Building shafts where kitchen, clothes dryer, bathroom and toilet exhau thickness of 0.0187 inch (26 gage), extend at least 22 inches where described the provisions of Section 1.5.	fire and smoke dampers installed in accordance with their hroughout with and automatic sprinkler system in Code, smoke dampers are not required at penetrations of st openings with steel exhaust subducts, having an minimum vertically and the exhaust fan at the upper terminus is

<u>Variance Requested</u>: Applicant proposes an alternate to exception 2 of The IMC Section 607.5.5 utilizing continuous positive pressure by a system on emergency power.

NOTES: This is a proposed mixed-use for a high rise Hotel/Residential construction.	Motion:	Opposed or Abstained:
	First: Second:	

Appeal Case No. 20180047594

Site Address: 5636 Old Hickory Blvd.
Map/Parcel Number: 08600035500

Appellant: Reid Cullers
OWNER: M.D.H.A.

Represented by: Reid Cullers

<u>Code Provision:</u> To appeal the following requirements in the 2012 IMC due to no manufacturer's instructions are provided and the length of exhaust duct exceeds the limits in Table 504.6.4.1 --

Section 504.6.4.2 Manufacturer's instructions. The maximum length of the exhaust duct shall be determined by the dryer manufacturer's installation instructions. The code official shall be provided with a copy of the installation instructions for the make and model of the dryer. Where the exhaust duct is to be concealed, the installation instructions shall be provided to the code official prior to the concealment inspection. In the absence of fitting equivalent length calculations from the clothes dryer manufacturer, Table 504.6.4.1 shall be used.

Section 504.6.6 Exhaust duct required. Where space for a clothes dryer is provided, an exhaust duct system shall be installed. Where the clothes dryer is not installed at the time of occupancy, the exhaust duct shall be capped at the location of the future dryer.

<u>Variance Requested</u>: Applicant wants IMC Section 504.6.6 allowed - would like to cap ducts at future dryer locations

NOTES: 9 BUILDING 3-STORY Apartment complex with 267	Motion:	Opposed or Abstained:
total units, including clubhouse, and pool area		
	First:	
	Second:	

			. age 5
I. APPEAL CASES CONTINUED			
Appeal Case No. 20180047614			
Represented by: Reid Cullers Appellant: Reid Cullers WWNER: M.D.H.A.		ed by: Reid Cullers	
<u>Code Provision:</u> To appeal the following requirements in the 2012 IMC due to no manufacturer's instructions are provided and the length of exhaust duct exceeds the limits in Table 504.6.4.1			
Section 504.6.4.2 Manufacturer's instructions. The maximum length of the exhaust duct shall be determined by the dryer manufacturer's installation instructions. The code official shall be provided with a copy of the installation instructions for the make and model of the dryer. Where the exhaust duct is to be concealed, the installation instructions shall be provided to the code official prior to the concealment inspection. In the absence of fitting equivalent length calculations from the clothes dryer manufacturer, Table 504.6.4.1 shall be used.			
Section 504.6.6 Exhaust duct required. Where space for a clothes dryer is provided, an exhaust duct system shall be installed. Where the clothes dryer is not installed at the time of occupancy, the exhaust duct shall be capped at the location of the future dryer.			
<u>Variance Requested</u> : Applicant wants IMC Section 504	4.6.6 allowe	d - would like to cap ducts	at future dryer locations
NOTES: ROBINSON FLATS, an Apartment complex. Development to consist of 3 - 3-STORY apartment bui Apartment Building 1 has 42 units, Building 2 has 42 units, Building 3 has 108 units., Existing Clubhouse renovationTOTAL 192 UNITS	ınits and	Motion: First: Second:	Opposed or Abstained:
III. APPEARING BEFORE THE BOARD			
No Business			
IV. OTHER BUSINESS			
No Business			
V. CONSENT AGENDA			
No Business			
VI. MOTION FOR ADJOURNMENT:	Motion:		Opposed or Abstained:
	First: Second:		