



AGENDA

The Metropolitan Government of Nashville and Davidson County...

***Board of Plumbing Examiners and Appeals
AGENDA***

Meeting Date:	Tuesday, December 2, 2014
Place:	Metro Office Building – DAVIDSON ROOM – 2 nd Floor 800 2 nd Avenue, South
Time:	1:30 P.M.

PLUMBING BOARD MEMBERS	MEMBER TERM EXPIRES	MEMBER ATTENDANCE	STAFF PRESENT
Graham Reed – Chairman David Adcox – Vice Chairman Nathaniel Odom Frank Sullivan Carl Denver Krantz Paul McCown Leah Granderson	March 10, 2017 March 10, 2018 March 10, 2015 February 15, 2015 March 10, 2018 February 15, 2015 March 10, 2016		

AGENDA TOPICS
I. Approval of Last Month's Minutes and Call Meeting To Order II. Appeal Cases III. Appearing Before The Board IV. Registrations V. Master Plumber Examination Approval VI. Journeyman Plumber Examination Approval VII. Other Business VIII. Consent Agenda IX. Adjournment

I. APPROVAL OF MINUTES AND CALL THE MEETING TO ORDER	
Approval of the November 4, 2014 Minutes Changes: Approval By: Signature of Chairman _____	Motion: First: Second: Opposed:

II. APPEAL CASES

<p><u>Appeal Case No. 2014-00021</u></p> <p style="text-align: right;">Represented by: Chad Baker</p> <p>Site Address: 5001 Alabama Avenue Map/Parcel Number: 09111030300 Appellant: The Dog Spot</p>		
<p><u>Code Provision:</u> The IPC, Table 403.1, requires men’s and women’s restrooms.</p> <p><u>Variance Requested:</u> The appellant is requesting that a single Unisex restroom be used.</p>		
<p>Discussion: This establishment Is a Day Care for dogs.</p>	<p>Motion:</p> <p>First:</p> <p>Second:</p>	<p>Opposed or Abstained:</p>

<p><u>Appeal Case No. 2014-00022</u></p> <p style="text-align: right;">Represented by: Nathan Goodin</p> <p>Site Address: 508 Napoleon Avenue Map/Parcel Number: 10516015300 Appellant: Nathan Goodin</p>		
<p><u>Code Provision:</u> The 2006 IPC, Table 403.1, requires storage occupancies of 1080 sq. ft. to have a restroom with a water closet and lavatory and the building with a drinking fountain and a mop sink.</p> <p><u>Variance Requested:</u> The appellant is requesting to not install any plumbing in the building.</p>		
<p>Discussion: Permit states this is to construct a 1080 sq. ft. storage shed for lawn equipment.</p>	<p>Motion:</p> <p>First:</p> <p>Second:</p>	<p>Opposed or Abstained:</p>

II. APPEAL CASES CONTINUED

Appeal Case No. 2014-00023

Represented by: Frank Tyree

Site Address: 5212 Gallatin Avenue
Map/Parcel Number: 08305044800
Appellant: Frank Tyree

Code Provision: The IPC, Table 403.1, requires mercantile occupancies to provide drinking fountains for customers.

Variance Requested: The appellant is requesting to waive the requirement for drinking fountains.

Discussion:

Motion:

Opposed or Abstained:

First:
Second:

III. APPEARING BEFORE THE BOARD

No Applicants

IV. REGISTRATIONS

No Applications

V. MASTER PLUMBER EXAMINATION APPROVAL

No Applicants

VI. JOURNEYMAN PLUMBER EXAMINATION APPROVAL

No Applicants

VII. OTHER BUSINESS

No Business

VIII. CONSENT AGENDA

No Business

IX. MOTION FOR ADJOURNMENT:

Motion:
First:
Second:

Opposed or Abstained: