



**AGENDA**

***The Metropolitan Government of Nashville and Davidson County...***

***Board of Plumbing Examiners and Appeals  
AGENDA***

Meeting Date:	Wednesday, July 5, 2017
Place:	Metro Office Building – NASHVILLE ROOM – 2 <sup>nd</sup> Floor 800 2 <sup>nd</sup> Avenue, South
Time:	1:30 P.M.

PLUMBING BOARD MEMBERS	MEMBER TERM EXPIRES	MEMBER ATTENDANCE	STAFF PRESENT
Frank Sullivan	February 15, 2019		
Tommy Krantz	March 10, 2018		
Matthew Clark	February 15, 2019		
David Wilson	March 10, 2019		
David Holman	March 10, 2018		
Valarie Franklin	March 10, 2021		
Rhonda Weatherford	March 10, 2020		

AGENDA TOPICS
I. Approval of Last Month's Minutes and Call Meeting To Order II. Appeal Cases III. Appearing Before The Board IV. Registrations V. Master Plumber Examination Approval VI. Journeyman Plumber Examination Approval VII. Other Business VIII. Consent Agenda IX. Adjournment

I. APPROVAL OF MINUTES AND CALL THE MEETING TO ORDER	
Approval of the June 6, 2017 Minutes and welcome Rhonda Weatherford to the Board.  Changes: Approval By: Signature of Chairman _____	Motion:  First: Second: Opposed:

## II. APPEAL CASES

**Appeal Case No. 2017-0041384**

Represented by: Thomas L. Fielder

Site Address: 4320 Harding Pike

Map/Parcel Number: 10315001400

Appellant: Thomas L. Fielder

Code Provision: (1) 2012 IPC - Table 403.1 require business occupancies with 2014 square feet to provide a male and female restroom with one water closet and one lavatory each.; (2) 2012 IPC - Table 403.1 require business occupancies with less than 100 occupants to provide a drinking fountain and 2012 IPC - Section 410.2 require not fewer than two drinking fountains shall be provided, where one drinking fountain shall comply with the requirements for people who use a wheelchair and one shall comply with the requirements for standing persons. A single drinking fountain that complies with the requirements for people who use a wheelchair and standing persons shall be permitted to be substituted for two separate drinking fountains.

Variance Requested: (1) Appellant proposes to provide one unisex restroom with one water closet and one lavatory. (2) Appellant proposes to provide a FloWater Station as a substitute for the required drinking fountain.

Discussion: This is a Rehab for 2014 sq. ft. space for Club Pilates.	Motion:	Opposed or Abstained:
	First: Second:	

## III. APPEARING BEFORE THE BOARD

No Applicants – No Business

## IV. REGISTRATIONS

No Applications

V. MASTER PLUMBER EXAMINATION APPROVAL

No Applicants

VI. JOURNEYMAN PLUMBER EXAMINATION APPROVAL

No Applicants

VII. OTHER BUSINESS

ELECTION OF OFFICERS:

Nominations for Chairman: \_\_\_\_\_ 1<sup>st</sup> \_\_\_\_\_ 2<sup>nd</sup> \_\_\_\_\_

Nominations for Vice Chairman: \_\_\_\_\_ 1<sup>t</sup> \_\_\_\_\_ 2<sup>nd</sup> \_\_\_\_\_

Elected Chairman: \_\_\_\_\_ Elected Vice Chairman: \_\_\_\_\_

VIII. CONSENT AGENDA

No Business

IX. MOTION FOR ADJOURNMENT:

Motion:  
First:  
Second:

Opposed or Abstained: