

STORMWATER MANAGEMENT COMMITTEE MEETING DETAILS for 02-MARCH-2023

Case # 202200017 1400 Gould (Preliminary)

Address: 1400 Gould Blvd

Council District: 33 (Antoinette Lee)

APN: 18300015100

Case Description: Variance request is to allow the following:

1. Disturbance of Zone 2 (20') stream buffer for grass paver parking areas.
2. Allowance of an existing building in the Zone 2 buffer to remain.
3. Continuous mowing/maintenance of portions of the stream buffer.
4. Modified buffer signage as necessary.

Case # 202200018 5930 Carl Place

Address: 5930 Carl Place

Council District: 20 (Mary Carolyn Roberts)

APN: 09106009300

Case Description: Variance request is to allow the following:

1. Disturbance of the Zone 2 floodway buffer.
2. Modified buffer signage as necessary.

Case # 202300001 7433 Sawyer Brown Road

Address: 7433 Sawyer Brown Road

Council District: 22 (Gloria Hausser)

APN: 11400024400

Case Description: Variance request is to allow the following:

1. Disturbance of the Zone 2 floodway buffer to build a driveway.

Case # 202300002 Bounty Club (Final)

Address: 3666 Knight Drive

Council District: 03 (Jennifer Gamble)

APN: 04900014200

Case Description: Variance request is to allow the following:

1. Disturbance of the Zone 1 and Zone 2 stream buffer.
2. To allow stream crossings within 1000 feet.
3. Continuous mowing/maintenance of portions of the stream buffer.
4. Modified buffer signage as necessary.