

STORMWATER MANAGEMENT COMMISSION MEETING DETAILS for 06-MARCH-2024

Case # 202300017 3817 Trimble Road

Council District: 34 (Sandy Ewing)

Address: 3817 Trimble Road

APN: 13007010000

Case Description: Variance request is to allow the following:

- Allowance of an unpermitted structure to remain in the floodway of Belle Meade Branch.
- Allowance of disturbances to the floodway buffer of Belle Meade Branch to remain.
- Continuous mowing and maintenance of portions of the floodway buffer.

Case # 202400003 628 Georgetown Drive

Council District: 23 (Thom Druffel)

Address: 628 Georgetown Drive

APN: 11503009500

Case Description: Variance request is to allow the following:

- Disturbance of the floodway buffer to construct a covered awning.
- Allowance of impervious surfaces to remain within the floodway buffer area.
- Continuous mowing and maintenance of portions of the floodway buffer.
- Waiver of buffer signage as necessary.
-

Case # 202400004 Belle Meade Plaza (Preliminary)

Council District: 20 (Rollin Horton)

Address: 4500 Harding Pike

APN: 11603000500

Case Description: Variance request is to allow the following:

- Disturbance of the floodway and floodway buffer of Richland Creek to remove existing encroachments and restore stream bank.
- Continuous mowing and maintenance of portions of the floodway and floodway buffer.
- Placement of a two bioretention areas within the Zone 2 floodway buffer.
- Modification of buffer signage to allow for educational signage.

Case # 202400005 Omohundro Stream Relocation (Final)

Council District: 19 (Jacob Kupin)

Address: 1130 Visco Drive

APN: 06000005700

Case Description: Variance request is to allow the following:

- Encapsulation and relocation of 765 linear feet of stream.
- Removal of stream buffer.